



Summary




REF: [6GVD93IY](#)
 DATE: 16/04/2024
 DEALER: Soldonmydrivecom Ltd

Vehicle History Check



HONDA CIVIC 1.6 VTI BLACK, 1998



Minor issues

- 1 **Plate Change**
Previous plate change
- 1 **Taxi/PSV Check**
Not Checked
- 1 **Recall Check**
Not Checked

All Clear

- ✓ **Finance**
No finance agreement recorded
- ✓ **Mileage Reading**
No mileage discrepancies
- ✓ **At Risk**
No risk marker recorded
- ✓ **Write-Offs (MIAFTR)**
No write-off recorded
- ✓ **Condition Alerts**
No condition alerts
- ✓ **Scrapped**
Not scrapped, no VIC recorded
- ✓ **Stolen**
No stolen record

Description

VRM	R554AUJ	POWER	158 BHP
VEHICLE	HONDA CIVIC 1.6 VTI	VALVES	4
ENGINE CC	1595 cc	GEARS	5
ENGINE SIZE	1.6 Litres	0-60 MPH	8 seconds
FUEL	PETROL	TOP SPEED	129 MPH
BODY	3 DOOR HATCHBACK	LAST V5C	14/10/2023
TRANSMISSION	MANUAL	DOORS	3
SEATS	4	BODY	HATCHBACK
COLOUR	BLACK	BODY CLASS	CAR
REG DATE	24/02/1998	TYPE APPROVAL	M1
VIN	JHMEK4360WS000662	WHEEL PLAN	2 AXLE RIGID BODY
ENGINE NO.	D16A2-1600624	BOOT CAPACITY	210 Litres
ENGINE CODE	R2DOIXTPBB	REG CURRENT	N/A

Finance

FINANCE	No
LAST CHECKED ON	16/04/2024

Write Off (MIAFTR)

WRITE-OFF (MIAFTR)	No
--------------------	----

Condition Alerts

CONDITION ALERT	No
-----------------	----

Scrapped

SCRAPPED	No
VIC	No


Stolen

STOLEN	No
--------	----

Mileages

DISCREPANCY

No



DATE	READING	SOURCE
Historical Readings		
22/11/2023	74,250 Miles	MOT
16/11/2023	74,249 Miles	MOT
18/03/2022	74,175 Miles	MOT
18/02/2022	74,175 Miles	MOT
03/02/2022	74,151 Miles	MOT
06/05/2021	73,000 Miles	DVLA
05/01/2021	73,110 Miles	MOT
27/03/2020	73,000 Miles	DVLA
07/01/2020	73,049 Miles	MOT
31/10/2019	73,037 Miles	MOT
29/06/2019	72,839 Miles	MOT
04/07/2018	71,284 Miles	MOT
21/02/2017	70,595 Miles	MOT
19/03/2016	70,317 Miles	MOT
20/02/2015	66,442 Miles	MOT
27/02/2014	65,411 Miles	MOT
01/02/2013	54,107 Miles	MOT
18/01/2012	52,952 Miles	MOT
17/01/2012	52,947 Miles	MOT
25/01/2011	51,540 Miles	MOT
19/01/2011	51,537 Miles	MOT
19/01/2010	49,217 Miles	MOT
19/01/2009	46,361 Miles	MOT
15/01/2009	46,361 Miles	MOT
10/01/2008	43,506 Miles	MOT
30/01/2007	40,009 Miles	MOT
30/01/2007	40,009 Miles	NAC
30/01/2007	40,000 Miles	GENERIC
29/01/2007	40,009 Miles	MOT
22/11/2006	39,563 Miles	NAC
22/11/2006	40,000 Miles	GENERIC
21/02/2006	37,030 Miles	MOT
21/02/2006	37,062 Miles	MOT
25/10/2005	36,473 Miles	NAC
25/10/2005	36,000 Miles	GENERIC

Service History

At Risk

AT RISK No

Taxi/PSV Check

Found 1 minor issue

FOUND ON TAXI/PSV DATABASE Not Checked

Recall Check

Found 1 minor issue

RECALL OUTSTANDING Not Checked

Keepers

PREVIOUS KEEPERS 5

AGE 26 years 1 month

AVG KEEPERS FOR AGE 10

LAST V5C 14/10/2023

KEEPER	START	FINISH	DURATION
Current	14/10/2023	N/A	6 months
5th	30/04/2021	14/10/2023	2 years 5 months
1st - 4th	24/02/1998	30/04/2021	23 years 2 months

Plate Change

Found 1 minor issue

● PLATE CHANGES Yes

REG	START	FINISH	DURATION
R554AUJ	25/11/2014	N/A	9 years 4 months
R44SSP	13/03/2013	25/11/2014	1 year 8 months
R554AUJ	24/02/1998	13/03/2013	15 years

Colour Change

COLOUR CHANGES No

CURRENT COLOUR BLACK

Origin & Use

PRIOR USE	No	ORIGIN	JAPAN
IMPORTED	No	EXPORTED	No
IMPORTED NI	No	EXPORT DATE	N/A
IMPORT DATE	N/A		
ORIGIN	N/A		

MOT

MOT VALID	Yes
MOT EXPIRY	21/11/2024
REG DATE	24/02/1998
FIRST MOT DUE	01/02/2001

#1 22/11/2023		Pass
Test Date	22/11/2023	
Expiry Date	21/11/2024	
Odometer	74,250 Miles	
Test No.	<u>961928033584</u>	
Refusal Reason	N/A	
Advisory	Offside Rear Direction indicator slightly discoloured (4.4.3 (a)), under-body heavily under-sealed front to rear including all suspension components	
Minor	N/A	

#2 16/11/2023		Fail
Test Date	16/11/2023	
Expiry Date	N/A	
Odometer	74,249 Miles	
Test No.	<u>548529205202</u>	
Refusal Reason	Offside Rear Direction indicator incorrect colour (4.4.3 (a)). Offside Rear Direction indicator adversely affected by the operation of another lamp (4.4.3 (b)). Registration plate lamp inoperative in the case of a single lamp or all lamps (4.7.1 (b) (ii)). Exhaust carbon monoxide content after 2nd fast idle exceeds default limits (8.2.1.2 (b)). Nearside Rear Direction indicator incorrect colour (4.4.3 (a)). Nearside Rear Direction indicator adversely affected by the operation of another lamp (4.4.3 (b)). Rear fog lamp does not emit a steady red light (4.5.4 (a)). Exhaust Lambda reading after 2nd fast idle outside specified limits (8.2.1.2 (c)). Exhaust hydrocarbon content after 2nd fast idle exceeds default limits (8.2.1.2 (b))	
Advisory	Underbody/All Suspension components under-sealed, rear wiper blade defective	
Minor	N/A	

#3 18/03/2022		Pass
Test Date	18/03/2022	
Expiry Date	17/03/2023	
Odometer	74,175 Miles	
Test No.	<u>119726554600</u>	
Refusal Reason	N/A	
Advisory	underside heavily undersealed	
Minor	N/A	

#4 18/02/2022		Fail
Test Date	18/02/2022	
Expiry Date	N/A	
Odometer	74,175 Miles	
Test No.	<u>812474528625</u>	
Refusal Reason	Nearside Front Position lamp not working (4.2.1 (a) (ii)). Offside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength (5.3.6 (a) (i)). Rear fog lamp does not emit a steady red light (4.5.4 (a)). Nearside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength (5.3.6 (a) (i)). Rear All direction indicators incorrect colour (4.4.3 (a))	
Advisory	Underside heavily undersealed	
Minor	N/A	

#5 03/02/2022		Fail
Test Date	03/02/2022	
Expiry Date	N/A	
Odometer	74,151 Miles	
Test No.	<u>872821614885</u>	
Refusal Reason	Nearside Front Position lamp not working (4.2.1 (a) (ii)). Nearside Rear Brake cable insecure bolt missing (1.1.15 (c)). Rear Rear fog lamp does not emit a steady red light (4.5.4 (a)). Central Rear Integral body structure or chassis has excessive corrosion, seriously affecting its strength within 30cm of a body mounting floor near suspension mounting (6.2.2 (d) (i)). Registration plate incorrect both - letters to thin (0.1 (c)). Emissions not tested too high test aborted (8.2.1.2 (d)). Nearside Front Headlamp aim too low (4.1.2 (a)). Nearside Rear Integral body structure or chassis has excessive corrosion, seriously affecting its strength within 30cm of a body mounting floor near suspension mounting (6.2.2 (d) (i)). Front Exhaust catalytic converter missing where one was fitted as standard (8.2.1.1 (a))	
Advisory	all brake hoses covered by underseal. Offside Rear park brake effort low. Front Suspension arm corroded but not seriously weakened covered in underseal obscuring condition (5.3.3 (b) (i)). both sills have plastic covers fitted obscuring condition. Front ball joint nuts badly corroded. Brake pipe corroded, covered in grease or other material all (1.1.11 (c)). under floor heavily coated in underseal	
Minor	N/A	

#7 07/01/2020		Pass
Test Date	07/01/2020	
Expiry Date	06/01/2021	
Odometer	73,049 Miles	
Test No.	<u>384541639399</u>	
Refusal Reason	N/A	
Advisory	N/A	
Minor	N/A	

#9 29/06/2019		Fail
Test Date	29/06/2019	
Expiry Date	N/A	
Odometer	72,839 Miles	
Test No.	<u>455571387797</u>	
Refusal Reason	Offside Rear Suspension component mounting prescribed area excessively corroded significantly reducing structural strength (5.3.6 (a) (i))	
Advisory	Nearside Rear Suspension component mounting prescribed area is corroded but not considered excessive (5.3.6 (a) (i))	
Minor	N/A	

#6 05/01/2021		Pass
Test Date	05/01/2021	
Expiry Date	06/01/2022	
Odometer	73,110 Miles	
Test No.	<u>841033158830</u>	
Refusal Reason	N/A	
Advisory	N/A	
Minor	N/A	

#8 31/10/2019		Fail
Test Date	31/10/2019	
Expiry Date	N/A	
Odometer	73,037 Miles	
Test No.	<u>122633879999</u>	
Refusal Reason	Nearside Rear Suspension arm pin or bush excessively worn trailing arm bushes (5.3.4 (a) (i)). Nearside Rear Integral body structure or chassis has excessive corrosion, seriously affecting its strength within 30cm of a body mounting arch sill area (6.2.2 (d) (i)). Front Brake pad(s) less than 1.5 mm thick (1.1.13 (a) (ii)). Central Exhaust system insecure (6.1.2 (a)). Offside Rear Suspension arm pin or bush excessively worn trailing arm bushes (5.3.4 (a) (i)). Front Brake disc in such a condition that it is seriously weakened (1.1.14 (a) (iii)). Offside Rear Integral body structure or chassis has excessive corrosion, seriously affecting its strength within 30cm of a body mounting arch sill area (6.2.2 (d) (i)). Parking brake efficiency below requirements (1.4.2 (a) (i))	
Advisory	fuel lines rusty, rear discs rusty, under body suspension rusty	
Minor	N/A	

#10 04/07/2018		Pass
Test Date	04/07/2018	
Expiry Date	03/07/2019	
Odometer	71,284 Miles	
Test No.	<u>269065691176</u>	
Refusal Reason	N/A	
Advisory	Brake disc worn, pitted or scored, but not seriously weakened (1.1.14 (a) (ii)). Brake pipe corroded, covered in grease or other material (1.1.11 (c)). Brake pipe corroded, covered in grease or other material (1.1.11 (c))	
Minor	N/A	

#11 21/02/2017		Pass
Test Date	21/02/2017	
Expiry Date	18/03/2018	
Odometer	70,595 Miles	
Test No.	<u>301096709858</u>	
Refusal Reason	N/A	
Advisory	N/A	
Minor	N/A	

#12 19/03/2016		Pass
Test Date	19/03/2016	
Expiry Date	18/03/2017	
Odometer	70,317 Miles	
Test No.	<u>257079946195</u>	
Refusal Reason	N/A	
Advisory	N/A	
Minor	N/A	

#13 20/02/2015		Pass
Test Date	20/02/2015	
Expiry Date	26/02/2016	
Odometer	66,442 Miles	
Test No.	<u>507591955066</u>	
Refusal Reason	N/A	
Advisory	Rear Trailing arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2). Body has slight corrosion (6.1.B.2). Fuel pipe/s corroded. Nearside Front Tyre worn close to the legal limit (4.1.E.1). rear wheel arches have slight rust	
Minor	N/A	

#14 27/02/2014		Pass
Test Date	27/02/2014	
Expiry Date	26/02/2015	
Odometer	65,411 Miles	
Test No.	<u>525608554084</u>	
Refusal Reason	N/A	
Advisory	N/A	
Minor	N/A	

#15 01/02/2013		Pass
Test Date	01/02/2013	
Expiry Date	31/01/2014	
Odometer	54,107 Miles	
Test No.	<u>878172833074</u>	
Refusal Reason	N/A	
Advisory	Rear Anti-roll bar corroded but not seriously weakened (2.4.G.1). Front Anti-roll bar corroded but not seriously weakened (2.4.G.1). rear control arm bushes slightly perished	
Minor	N/A	

#16 18/01/2012		Pass
Test Date	18/01/2012	
Expiry Date	24/01/2013	
Odometer	52,952 Miles	
Test No.	<u>627548012063</u>	
Refusal Reason	N/A	
Advisory	Nearside Rear Trailing arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2). Offside Rear Tyre worn close to the legal limit (4.1.E.1). front brake juddering slightly (3.7.A.2b). Offside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1). advise all coil spring are slightly corroded. Offside Rear Trailing arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2). Suspension component mounting prescribed area is corroded but not considered excessive (2.4.A.3). Nearside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1). Fuel pipe/s corroded	
Minor	N/A	

#17 17/01/2012		Fail
Test Date	17/01/2012	
Expiry Date	N/A	
Odometer	52,947 Miles	
Test No.	<u>987347712037</u>	
Refusal Reason	Nearside Front Suspension component mounting prescribed area is excessively corroded (2.4.A.3)	
Advisory	Nearside Rear Trailing arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2). Fuel pipe/s corroded. Offside Rear Tyre worn close to the legal limit (4.1.E.1). front brake juddering slightly (3.7.A.2b). Offside Front Suspension component mounting prescribed area is corroded but not considered excessive (2.4.A.3). Offside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1). Offside Rear Trailing arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2). advise all coil spring are slightly corroded. Suspension component mounting prescribed area is corroded but not considered excessive (2.4.A.3). Nearside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1)	
Minor	N/A	

#18 25/01/2011		Pass
Test Date	25/01/2011	
Expiry Date	24/01/2012	
Odometer	51,540 Miles	
Test No.	<u>129995121412</u>	
Refusal Reason	N/A	
Advisory	Nearside Rear Anti-roll bar linkage has slight play in a ball joint (2.4.G.2). Offside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1). clutch pedal rubber worn. Nearside Rear Trailing arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2). water ingress into offside headlight. Offside Rear Tyre worn close to the legal limit (4.1.E.1). Offside Rear coil spring corroded (2.4.C.1b). front to rear petrol pipes are corroded. Nearside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1). Front front brake juddering slightly (3.7.A.2b). front to rear petrol pipes corroded. Offside Rear Trailing arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2). Nearside Rear coil spring corroded (2.4.C.1b). nearside and offside sills are corroded at front jack points	
Minor	N/A	

#19 19/01/2011		Fail
Test Date	19/01/2011	
Expiry Date	N/A	
Odometer	51,537 Miles	
Test No.	<u>247159811020</u>	
Refusal Reason	Offside Rear rear brake binding (3.7.B.1). Offside Brake pipe excessively corroded (3.6.B.2c). Offside Headlamp aim too high (1.8). Offside rear brake recording little or no effort (3.7.B.5a). Nearside Headlamp aim too high (1.8)	
Advisory	Nearside Rear Anti-roll bar linkage has slight play in a ball joint (2.4.G.2). clutch pedal rubber worn. Offside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1). water ingress into offside headlight. exhaust down pipe badly corroded advise replacement A/S/A/P. Offside Rear coil spring corroded (2.4.C.1b). Offside Front Tyre worn close to the legal limit (4.1.E.1). Nearside Front Lower Suspension arm corroded but not seriously weakened (2.4.G.1). front to rear petrol pipes corroded. nearside and offside sills are corroded at front jack points. Nearside Brake pipe slightly corroded (3.6.B.2c). Nearside Rear coil spring corroded (2.4.C.1b). front to rear petrol pipes are corroded. Offside Rear Brake pad(s) wearing thin (3.5.1g)	
Minor	N/A	

#20 19/01/2010		Pass
Test Date	19/01/2010	
Expiry Date	18/01/2011	
Odometer	49,217 Miles	
Test No.	<u>802199010088</u>	
Refusal Reason	N/A	
Advisory	Front Exhaust has part of the system slightly deteriorated (7.1.1a). Front front brake juddering slightly (3.7.A.2b). heat shield on catalyst corroded. Offside Brake pipe slightly corroded (3.6.B.2c). Offside Rear Trailing arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2). Nearside Brake pipe slightly corroded (3.6.B.2c). Nearside Rear Trailing arm rubber bush deteriorated but not resulting in excessive movement (2.4.G.2)	
Minor	N/A	

#21 19/01/2009		Pass
Test Date	19/01/2009	
Expiry Date	18/01/2010	
Odometer	46,361 Miles	
Test No.	<u>621739619097</u>	
Refusal Reason	N/A	
Advisory	Brake pipe slightly corroded (3.6.B.2c). Front front brake juddering slightly (3.7.A.2b)	
Minor	N/A	

#22 15/01/2009		Fail
Test Date	15/01/2009	
Expiry Date	N/A	
Odometer	46,361 Miles	
Test No.	<u>502785719048</u>	
Refusal Reason	Parking brake: efficiency below requirements (3.7.B.7). Exhaust emissions Lambda reading after 2nd fast idle outside specified limits (7.3.D.3). Parking brake lever has no reserve travel (3.1.6b). Rear Exhaust has a major leak of exhaust gases (7.1.2). Offside Rear rear brake recording little or no effort (3.7.B.5a)	
Advisory	Rear brake disc slightly pitted (3.5.1h). Brake pipe slightly corroded (3.6.B.2c). Rear brake disc worn, pitted or scored, but not seriously weakened (3.5.1i). Centre Exhaust has a minor leak of exhaust gases (7.1.2). Front front brake juddering slightly (3.7.A.2b)	
Minor	N/A	

#23 10/01/2008		Pass
Test Date	10/01/2008	
Expiry Date	09/01/2009	
Odometer	43,506 Miles	
Test No.	<u>874530318052</u>	
Refusal Reason	N/A	
Advisory	Offside Rear Tyre worn close to the legal limit (4.1.E.1)	
Minor	N/A	

#24 30/01/2007		Pass
Test Date	30/01/2007	
Expiry Date	20/02/2008	
Odometer	40,009 Miles	
Test No.	<u>931370037072</u>	
Refusal Reason	N/A	
Advisory	N/A	
Minor	N/A	

#25 29/01/2007		Fail
Test Date	29/01/2007	
Expiry Date	N/A	
Odometer	40,009 Miles	
Test No.	<u>141599027046</u>	
Refusal Reason	Offside Rear Parking brake is not capable of being maintained in operation by direct mechanical action only (3.1.2). Offside Rear rear brake application uneven (3.7.B.2). Offside Rear Anti-roll bar has excessive play in a ball joint (2.4.G.2). Offside Rear rear brake recording little or no effort (3.7.B.5a). Parking brake: efficiency below requirements (3.7.B.7)	
Advisory	N/A	
Minor	N/A	

#26 21/02/2006		Pass
Test Date	21/02/2006	
Expiry Date	20/02/2007	
Odometer	37,062 Miles	
Test No.	<u>211702656028</u>	
Refusal Reason	N/A	
Advisory	N/A	
Minor	N/A	

#27 21/02/2006		Fail
Test Date	21/02/2006	
Expiry Date	N/A	
Odometer	37,030 Miles	
Test No.	<u>372112356008</u>	
Refusal Reason	Nearside Headlamp aim too low when the centre of the headlamp is below 850mm from the ground (1.6.B2)	
Advisory	Nearside Rear Brake pad(s) wearing thin (3.5.1g). Offside Rear Brake pad(s) wearing thin (3.5.1g)	
Minor	N/A	

Tax & SORN

TAX VALID	Yes
TAX EXPIRY	01/12/2024
SORN	No

Valuation

BASIC VALUATION		£0.00
Based On	N/A	
Trade Value	£0.00	
Forecourt Value	£0.00	
Private Value	£0.00	


Running Costs

TOTAL ESTIMATED £2,037

Road Tax * £345

Fuel £1,293

Insurance £399



ROAD TAX *

Band	N/A
CO2	N/A
12 Month	£345
6 Month	£190

FUEL

Annual Cost Estimate	£1,293
Based On	6,701 Annual Miles
Full Tank Cost	£64.22
Full Tank Distance	333 Miles
Average Fuel Urban	21 MPG
Average Fuel Country	34 MPG
Average Fuel Combined	28 MPG

INSURANCE

Group Rating 1-20	N/A
Group Rating 1-50	N/A
Annual Cost Estimate	£399

* The standard 12 month VED rate for all registered cars in this band is shown for the purposes of comparison. Note, figures quoted reflect the current rate only, and may be subject to change in the future. Cars with a list price of over £40,000 when new pay an additional rate of £310 per year on top of the standard rate, for five years

Warranty

MANUFACTURER WARRANTY Expired

	TOTAL PERIOD OR DISTANCE	REMAINING PERIOD	REMAINING DISTANCE
Whole Vehicle	24 Months / Unlimited	Expired	Valid
Powertrain	24 Months / Unlimited	Expired	Valid
Anti-Corrosion	72 Months / Unlimited	Expired	Valid
Paint	36 Months / Unlimited	Expired	Valid
Roadside Assistance	24 Months / Unlimited	Expired	Valid

Notes

FINANCE

Finance Initial Check: 16/04/2024 12:47, No Finance

16/04/2024 Private

KEEPERS

Keepers Initial Check: 16/04/2024 12:47, 5 Previous Keepers found

16/04/2024 Private

WRITE-OFF (MIAFTR)

MIAFTR Write-off Initial Check: 16/04/2024 12:47, No records found
